

# JAI AUTO INDUSTRIES

## AN ISO 9001:2008 COMPANY

### Ahmedabad-382415 (INDIA)

Visit us : [www.jailiners.com](http://www.jailiners.com) E-mail : [jaiauto1@yahoo.com](mailto:jaiauto1@yahoo.com)  
MOBILE NO : +91 9904304061



## PRODUCT LIST

M/s.	
	<b>CONNECTING ROD</b>
	Reference Name/ No.
<b>CARS</b>	
<b>DAIHATSU</b>	
KA-071	DG /V - 26/ 13201 - 87304 -DG / 28mm
KA-071A	DL /V-22/ 13201 - 87309 - DL / 26mm
KA-090	S10 / 1320187209/17.990 mm
KA-092	HIJET /13201-87107 / 18.960 mm
KA-147	MR-05 / 18 mm
<b>RUSSIAN</b>	
KA-271	LADA / 21.940 mm
<b>FORD</b>	
KA-066	MAXION 2.5 HS70993256/EPR-2418/30.165mm/Taper
KA-068	FORD 1.8 DIESEL ENDURA/MONDEO 18TD/26 mm
KA-215	K-766B /2.5L DIESEL/ FORD TRANSIL 2.5 D /984F6200BB1108267 / 29 mm
KA-258	1S4Q / 6575383 / 1.8TDCI / Connect Focus / 6200 BD / 28 mm Taper
KA-259	2S66 /Ford Fiesta Diesel 7562AC 6200 AC/Ford Fiesta 1.4 Diesel / 25 mm Taper
KA-287	1600 HDT 26MM TAPER FRACTURE TYPE
KA-350	FORD - 2.4 TDCI / 32 mm Taper
KA-316	FS 98M AC - 1115901 / 17.970 mm / Rocom
KA-342	FORD Ranger /WL-2500 / 32 mm Taper
KA-378	1S7Q6200CAA/30 mm Taper 2.2 HDI/4H4 - 4H4
<b>NISSAN</b>	
KA-044	Allwyn Nissan / 26 mm Pin
KA-118	Z - 24 / 12100-03G10 / 20.945 mm
KA-174	P.40 / 12100-C8002 / 20.630 mm
KA-183	12 100 50K01 /EG 606/ 19.960 mm
KA-230	H - 20/ 12100-P5100 / 21.986 mm
KA-231	Z-24 Fracture Type / 20.945 mm
KA-238	Z-24 With Bush / 12100-26G12 / KA24DE /21 mm
KA-383	12100-53F0A / 21 mm
KA-416	TD 27.TD.42/ 12100-43401 / 30 MM
KA-417	TD.25 / 12100 - EB.300 / Taper / 28 mm
<b>JEEP</b>	
KA-169	WILLY'S Petrol CJ3B / 18 mm

No.	CONNECTING ROD
	Reference Name/ No.
<b>RENAULT</b>	
KA-067	J.85 /7701461321/ 2.1 Diesel Traffic / 28 mm
KA-069	F-8Q/1090075/ SxS4Q/ 19 Diesel/ 7701 465145 / 24 mm
KA-138	7701459433 / 17.955 mm
KA-192	Master 2.8 TD / 32 mm/ Taper
KA-261	2.5/G.9u DCI 93 196 307 / 7701473615/31 mm
KA-263	K9K 1.5 DCI / 7701473154 / 26mm Taper
KA-333	1.9 DCI F-9Q / 7701470247 / 7701476250 / 28 mm Taper
KA-379	M-9R/30 mm Taper
KA-408	K4M / 19.940 mm
KA-418	M-9R / 32 mm
<b>PEUGEOT</b>	
KA-005	XDPT -3 / J-9 / 30 mm
KA-006	504.505 / 060311- P / 23 mm
KA-121	DW-8 / 060377 / 25 mm
KA-187	Peugeot Boxer 2.8 / 32.10 mm
KA-191	DJ 5 TD / 34 mm Taper
KA-194	405/1800cc / 060362 / 21.950 mm
KA-195	2000cc / 21.950 mm
KA-224	Peugeot-Tu-D5/ 23 mm Pin
KA-255	206 / 17.940 MM
KA-259	206 1.4 Diesel / 25 mm Taper
KA-297	206 / 1600 cc / 19.460mm
KA-331	DW 12 / 2.0 HDI / 30 mm
KA-338	XANTIA / 21.970 mm
KA-287	PARTNER - 1600 HDI / 26 mm Taper
KA-340	DW 10 / 2000 HPI / 28 mm Taper
<b>ISUZU</b>	
KA-075	4HF1 /8-97135032-0 / 89447343 / 36 mm Taper
KA-076	3197 / RD-4 /4JB1 / 8-94329-692-0 / 2800 D/ 31 mm
KA-077	FM 3457 /4JA1-8-94333-119-0/ 2.50 Tavera/31 mm
KA-077A	FM 3240 / 8-94454-844 / C-223/ 27 mm
KA-080	UB C2/ 4BE1 2967/ 5012230054-0 / 35 mm
KA-117	4BC2/4BE1/5-12230054-0 /FM-2857 / 35 mm
KA-162	5-12230023-0/C-190 / 27 mm
KA-179	5-12230039-1 /C-240/ 27 mm
KA-184	1-12230104-1 / 6BD1 / 4BD1 / 3.9 D / 35 mm
KA-239	4EE1 1.7 D / 25 mm
KA-267	6VE1/8-97351-169-0 / 21.920 mm
KA-294	8980139623 4JB1T/NKR/2800 TD/ 8-97062-300/34 mm
KA-295	8943996612 4HE1 / NPR / 40 mm Taper
<b>CITROEN</b>	
KA-081	Citroen / D-12111134/ 20 mm Pin
KA-287	1.5 TDCI / 26 mm Pin Taper

No.	CONNECTING ROD
	Reference Name/ No.
<b>KIA</b>	
KA-114	PRIDE / 23510-26430 / 19.943 mm
KA-114 A	RIO / OK30C-11-210 / 19.940 mm
<b>MAZDA</b>	
KA-039	T-3500 / 34mm
KA-086	1600 CC / 8171-11-210/ NA / 19.950 mm
KA-301	2000CC/FE-1H-11-210A / 21.945 mm
KA-342	W L / 2500 / WL. 51.11.210/ 32 mm Taper
KA-410	54N / 32 mm Taper
<b>PAYKAN (HILLMAN)</b>	
KA-133	DELUX /LONG/ 23.820 mm
KA-165	AVENGER / SMALL/ 752218219 / 23.820 mm
KA-007	ROA / 21 mm
<b>OPEL</b>	
KA-261	4416788 / 2.5 DCI / 31 mm Taper
<b>HYUNDAI</b>	
KA-234	B9AD Accent / 28 mm Taper
KA-038A	4D34 / 34 mm Taper
KA-351	4D56T / H-100 /2.5 TD / 32 mm Taper
<b>SUZUKI</b>	
KA-015	ST-100 / 12161-77300 / 1216073010 / 16 mm
KA-093	ST-90 / 1261-77500 / 18.960 mm
KA-145	1260-75000 / 19 mm
<b>VOLKSWAGAN</b>	
KA-124	Octavia (Skoda) / 26 mm
KA-196	GOL/SENDA/SAVEIRO/6D A40 / 24 mm
KA-197	1.9 Diesel 028/198401/E / 044198401A POLO / 24mm
KA-290	AT.1.0 8 Valve/16 Valve/GOL/AT401 Fracture Type / 17mm
KA-290A	OIL HALL - 17 MM PIN FACURE TYPE
KA-291	AP.1.6 8 Valve / 16 Valve /PASSAT/ AP403 /0261 98401A / 027198401 / 20 mm
KA-292	POLO 1.4 / 45198401 A / 17 mm
KA-298	1.9. TDI S/E THIKNESS-25 MM FACTURE YPE
KA-298A	06A198401 / 1.9 TDI BORA / 26mm Taper S/E Thikness - 22
KA-307	036198401 / 1.4 POLO / 17 mm
KA-358	Golf / Passat / Polo / 26 mm Taper
KA-370	BEETLE / 311.105.401B /1600 CC/ 22 mm
<b>G. M.</b>	
KA-240	90530169, GM510/BLAZER/VECTRA/OMEGA 2.2/510/BLAZER 2.4 / 20.995 mm
KA-283	Corsa / 1.6 N / 17.960 mm
KA-163	24.846 mm
KA-164	24.846 mm
<b>BMW</b>	
KA-357	320 / 2.0TD16V / 30 mm Taper

No.	<b>CONNECTING ROD</b>
	Reference Name/ No.
<b>CHEVROLET</b>	
KA-283	CHEVROLET CORS9 8 VALVE 1.4/1.6/1.8N /17.960 mm
<b>TOYOTA</b>	
KA-091	4 K / 1320119145/ 19.980 mm
KA-094	3 K / 18 mm
KA-123	3-L / 13201-59105 / 29 mm Taper
KA-131	F J80 RN /9204/ 13201-35020/ 3F.1FZ / 22 mm
KA-132	ACV10.120 /1320169125/ 20.990 mm
KA-148	2-L /QUALIS /13201 59095/27 mm Taper
KA-152	13201 31010 / 12R / 20 mm
KA-166	13201 59049 /B460 8 / 29 mm
KA-181	12 13201 78310 51 /EG 604/ / 27 mm
KA-203	BU85.BB/ 13201-59057 / 34 mm
KA-212	13201 78030 / RINO SAUROS / 37 mm Taper
KA-268	SXV10.20. / ST 191 / 13201-79215 / 24 mm
KA-269	13201 29125 / 29685 / 24 mm
KA-284	13201 17010/ 1HZ/42J81 / 29 mm
KA-293	IKD (Inova) 2 KD/1320130050 / 34 mm Taper
KA-406	Avanza-1.3 / 17.950 mm
KA-407	Avanza-1.5 / 17.950 mm
<b>TATA</b>	
KA-021	Sumo / 25 mm
KA-065	Indica Ace / 23 mm
KA-221	Safari / 28 mm
KA-246	Indigo / Taper / 25 mm
KA-262	Vista / Manza / 23 mm Taper Fracture Type
<b>FIAT</b>	
KA-191	DJ-5 TD - 34MM TAPER
KA-233	SIENA DIESEL / 25.995 mm
KA-262	LINEA / 23 mm Taper
KA-274	504057276 FIAT.0481 31 MM TAPER
KA-386	FIAT-1.2/16 Valve Fire/ Fracture Type / 17.940 mm
<b>COMPRESSOR</b>	
KA-022	352 130 0216 / 97mm / B.E. Thickness 28mm / 16 mm
KA-041	ATALS COPCO VT-4 /14040850/ 41.95 mm
KA-042	ATALS COPCO VT-5 /14040851/ 41.95 mm
KA-190	352 130 0416 / 92mm/ B.E. Thickness 28mm / 16 mm
KA-207	403 130 2816 / 2216 / 20MM Thickness / 20 mm
KA-207A	403 130 2716 /16MM Thickness / 20 mm
KA-305	442 131 0017 /0217 / 541 131 0117 /100mm / 20mm

No.	CONNECTING ROD
	Reference Name/ No.
<b>LIGHT COMMERCIAL VEHICLES</b>	
<b>LANDROVER</b>	
KA-056	LANDROVER / 25 mm
KA-122	HRC 1385 SDF 57/With Nylon Nut/Groove Type/ 30.170 mm
KA-125	LANDROVER HRC 1385 / 30.165 mm
<b>MITSUBISHI</b>	
KA-038	4D-31 / CENTER ME012264 / 34 mm
KA-038A	4D-34 /HYUNDAI 4D31/ME 012265 / 34 mm - Taper
KA-073	4D56 / 4D55/T-120 MD 050006 /L-300 Diesel / 29 mm
KA-074	FUSO / 38 mm
KA-074A	6D16 / 4D16 / 38 mm
KA-089	L-300 Petrol / 17.795 mm
KA-178	EG 601 / S4S / 32 A 19-00012/ 30 mm
KA-315	4D34 Inter Coller /ME 240967 / 36 mm Taper
KA-351	4D56T /MD 371001 / H-100/ TD2.5 / 32 mm Taper
KA-144	L-300 Diesel / 18.960 mm
KA-170	SD1GCI/NM-180 / 32 mm
KA-171	GC2/ND-130 / 28 mm
KA-172	M11/NM-110/NM-130 / 28 mm
KA-173	M9 / NM-90 / 25 mm
KA-097	COLT T-12 / 19mm
KA-361	10570G.231010 / 32 mm
KA-382	132015A343 / 32 mm TAPER
KA-419	4M40 (ME 101363) 30 MM TAPER
<b>TOYOTA</b>	
KA-043	14B.3B.BB2/13201-59145/ RENO/2F/32 mm Taper
<b>B.M.C.</b>	
KA-208	4 98 37D 3177 / 703177 / 35 mm
<b>HYUNDAI</b>	
KA-038A	4D34 TAPER / 38 mm Taper
KA-234	ACCENT CRDI / 28 mm Taper
KA-351	H-100 2.5 TD / 32 mm Taper
KA-073	23510 - 4200 / 29 mm

No.	CONNECTING ROD
	Reference Name/ No.
<b>HEAVY COMMERCIAL VEHICLES</b>	
<b>MERCEDES BENZ</b>	
KA-018	OM-366 /366 030 2520/ 3520/2120/ 7120/376 030 7220 / 36 mm
KA-018 A	OM-366/ 366 030 3620/ 366 030 7320/ 376 030 7320/36 mm Taper
KA-019	OM-352/ 314/ 352 030 5720 /4920/ 3920/ 36 mm
KA-023	OM-355 NEW MODEL /355 030 2820/ 2120/ 1920/ 48 mm
KA-024	OM-355 OLD MODEL / 355 030 0020/ 48 mm
KA-025	OM-447/ 447 030 0420/ 0020/ 407 030 0720/ 466 030 0020/ 46mm
KA-025A	OM-447/ 447 030 0320/ 0120/ 466 030 0120/ 46 mm Taper
KA-026	OM-403 / OM-422 / 422 030 0420/0320/ 403 030 1720/ 46 mm
KA-026A	OM-442/ 442 030 0220/ 442 030 0020/46mm Taper
KA-027	OM-360/ 360 030 0120/ 42 mm
KA-078	OM-441/ 441 030 0820/ 46 mm Taper
KA-082	OM-407/ 407 030 0620/ 496 030 0020/ 46 mm
KA-236	OM 501 ACTROS / 541 030 0520/ 0320/ 0420/ 52 mm Taper
KA-236A	OM 502 AXOR/ 542 030 0520/ 0320/ 0420/ 52 mm Taper
KA-244	OM 906 ATEGO/ 906 030 0320/ 42MM Taper
KA-244A	OM-904/ 904 030 0320/ 906 030 0220/40mm Taper
KA-280	OM 457/ 457 030 0120/ 52 mm Taper
KA-334	OM 460/ 460 030 0020/ 0320 / 0220 /52 mm Taper
KA-344	OM-924/ 926 / 906 030 1020/ 43mm Taper
KA-270	OM-611 SPRINTER /646 030 4720/ 4420/ 30 mm
KA-270A	OM-646 SPRINTER /646 030 0020/ 2.2 CDI /30 mm Taper
KA-403	OM-651/0303 0020 / 30 mm
KA-404	OM-926/ 906 030 1520/ 0820/ 920 / 44 mm
<b>NOTE→EXTRA CHARGES FOR BRONZE BUSH IN 400 SERIES</b>	
<b>SCANIA</b>	
KA-070	DS-11 / WITH OIL HOLE/ 1305643 / 50 mm Taper
KA-070A	DS-11/ WITHOUT OIL HOLE/ 1403521 / 318062 / 258103 / 50mm Taper
KA-272	DS-12/1401729/ 54 mm Taper
KA-347	DC 9A/ 1538036 / 54.030 mm Taper
KA-380	DN-8/ Taper / 50 mm

No.	CONNECTING ROD
	Reference Name/ No.
<b>MAN</b>	
KA-025	D-2555 / 56/65/66D2865/66/51.02401.6141 /6214/6244/6264 /6192/ 46 mm
KA-025A	D-2865/66/ 51.02401.6256/6271/6251/ 51.02400 6031/ 46 mm Taper
KA-026B	D-2840/42/48 / 51 02401 6198/6234/ 46 mm Taper
KA-211	D-2156/ 2356/ 51.02401.6065/45 mm
KA-235	D-0824/ 0826/51.02401.6277/6221/6267/ 51.02400.6015 /40 mm
KA-256	D-0834/0836/ 51.02400.6023/ 51.02401.6263/ 6292 / 6278 /6268 / 42 mm Taper
KA-265	D-2876/66/6029 / 51.02400.6049/LOF/ 51.02401.6211/ 6202/ 6243/ 6242 /50mm Taper
KA-282	D-2866/65/76 / 51.02400.6044/6026/ 46 mm
KA-282A	D 2156/2356 / 51.02400.6065/ 46 mm Taper
KA-335	D 2876/TGA - 480/51.02400.6054 /6030 / 52 mm Taper
KA-336	D2066/ 51.02400.6066/ 6145/52 mm Taper GA-390-400-430
KA-337	D 2865/D 2866/ 51.2400.6031/6050 / 52 mm Taper
KA-360	51.02400.6034 / 46 mm Taper
KA-390	51.02400.6068/ 44 mm Taper
KA-405	51.02400.6145/ D2066-N/M / 52 mm
<b>VOLVO</b>	
KA-115	TD-120/ TD-121/ TD-122/ TD-123/470424/ 55 mm/N-12
KA-115A	N-12 Old Model TD-120 / 55 mm
KA-227	TD-100 /1545299/ 51.75 mm / N-10
KA-227A	TD-100 N-12 /422706/ Old Model / 51.75 mm / N-10
KA-286	D-12 /11547124 / 55 mm Taper
KA-288	FH 12/ 204 12200 / 55 mm Taper
KA-308	NL-10 / 52 mm
KA-308A	NL-10 N/M / 52 mm Taper
KA-362	20876840 / 58.035 Taper
KA-415	D-11 / Taper / 54 mm 20480806 / CNO. 20480803
<b>LEYLAND</b>	
KA-028	LEYLAND : 370 / 400 / 33 mm
KA-029	LEYLAND : 402 / 411 / AAL2097 / 41.280 mm
KA-289	LEYLAND : 680 / 41 mm
KA-289 A	LEYLAND : 690 / 44.720 mm
<b>YAMZ(RUSSIAN TRUCK)</b>	
KA-275	236-1004045 / B3 / 50 mm
KA-276	75511 1004045 20 / 52 mm
KA-277	58 mm Taper
<b>HOWO</b>	
KA-312	Truck China /61500030009 / 50 mm Taper
<b>BEDFORD</b>	
KA-036	J4 / J6 / 35 mm

No.	<b>CONNECTING ROD</b>	
	Reference Name/ No.	
<b>IVECO</b>		
KA-107A	98460411 / DAILY / 38 mm taper	
KA-187	500600 007F 2.5L / 32 mm	
KA-192	Boxer/97210187 /500352497/ 2.8 JTD / 32 mm	
KA-254	4724375 CO3/CP3- 130NC OM-100/129/130 / 40 mm	
KA-264	4898808 F4AE0481 / F4AE0681 / TECTOR 4/6 Cyl / 40 mm Taper	
KA-274	504057276 FIAE 0481 / DIALY 35C10/310 / 31 mm Taper	
KA-281	98452330 8210 /22 /42 190-36 Turbostar /50 mm Taper	
KA-296	504113130/ fice0481A/ daily 35c14 3.0 / 36 mm Taper	
KA-304	61319082/8460.21/41 190.32 TRU TESTA VIPERA / 48 mm Taper	
KA-318	4815044 / 55 mm	
KA-341	4670681.8210.02 180NC/619N/697N/ 48 mm	
KA-355	4821454.8365.25 / 42 mm Straight	
KA-374	504099221(1.887) / 38 mm Pin Taper	
KA-374 A	504099913 (1.872) / 98461753/38 mm Pin Taper	
<b>KAMAZ</b>		
KA-395	7401004045 / 45 mm	
<b>DAF</b>		
KA-371	007 1617 (865) Model /48.025 mm Pin	
<b>HINO</b>		
KA-139	B-7014001/ W 060/ 35 mm Taper	
KA-139 A	37 mm Taper	
KA-149	H 07 C / 046 - 00147 / 39 mm Taper	
KA-150	HINO / 36 mm	
KA-177	H 700 A / 128-400-337 / 37 mm	
KA-177A	H 800 / 128-400-338 / 37 mm Taper	
KA-212	DOUTRO / 37 mm Taper	
<b>TATRA</b>		
KA-317	341.101.400 - 45 MM	
<b>RENAULT</b>		
KA-058A	P6.354 BUDSON /ZZ90146/ 39.75 mm Taper	
KA-257	CM 246149295 D / 50 mm	
KA-411	Renault Truck / 50 mm Taper	
<b>DETROIT DIESEL</b>		
KA-244	MB-900 /906 030 032 / 42 mm Taper	
KA-334	MB-4000 /460 030 0020 / 52 mm Taper	
KA-251	N-71 / 6V53T / R 17 mm	



No.	CONNECTING ROD
	Reference Name/ No.
<b>TRACTORS</b>	
<b>FIAT</b>	
KA-106	4637680/ 50 NC EM /67-77/477522/450/480/640/32 mm
KA-106 A	467922/780 54C 640 50 NC YM 77/ 34 mm
KA-107	4780624/4796181/35.9 65.9 / 38 mm
KA-107A	98460411/984617511/ 38 mm Taper
<b>JOHN DEERE</b>	
KA-013	RE505454 /501072/ 32 mm
KA-198	R80034/RE21076/TRE16495/R51727 /ER55978/ 34.95 mm
KA-209	RE58347 / R80032/ R58979/ R113612/ R122191 /RE-42733/ 41.275 mm
KA-213	T 20007/ EAT 18005/R 81410/ 30.195mm
KA-302	R500335 / R114081 /RE 500608/41.287 mm Taper
KA-303	R500000 / RE123959 /RE 500002/ 35 mm Taper
KA-349	R26047/R66923/AR 70910/R52225/R58880/ 38.138 mm
KA-352	R71074 4000 Series 4250 to 4955 /AR93341/ 57303/ 67320/ 47 mm Taper
KA-398	R526592/47.655/Fracture Type / 47.655 mm
KA-399	R116340/47.655
<b>IFA</b>	
KA-059	MN 2701073976 / 45 mm
<b>ZETOR / URSUS</b>	
KA-032	2011 / URSUS 360 / 69010389/ 46503230/ 35 mm
KA-079	GTCL /71010309/35mm
KA-120	URSUS 385 / Engi. No. Z8401 /89003529/ 40 mm
KA-033	URSUS C-330 /42032100/42032101 / 38 mm
KA-120 A	C.20402
KA-260	T60013026 / 118 STROKE/ 35 mm Pin
KA-389	New Model/ ZT /40 mm
KA-409	110 STROKE / ACE / 35 mm
<b>BELARUS</b>	
KA-243	D-144-1004100B/T-25 / 35 mm
KA-354	240-1004100A / MTZ-80 / 38 mm
<b>FORD</b>	
KA-035	3000/3600 /C7NN6200A/ 81864279/E3HN 6200 AC42/6600/5000/38.10 mm
KA-072	9000 /C9NN6200C/ 7000 /7600/7700/41.275 mm Taper
KA-299	F2NN 6200 BA/ 87801218/ 81875622/ 8395863/ 8972114 / 38.10 mm
KA-372	87801221/ 87803430/ (2.095) / Taper /41.280 mm
KA-373	84144055/ 84144040/ (2.125) / Taper / 44.460 mm
KA-394	DSD-362/Dorset Engine / 2703C / Pin 34.930 mm
<b>ROMANIA</b>	
KA-064	UTB-650 /UTB 10303015/ 40 mm

No.	CONNECTING ROD
	Reference Name/ No.
<b>PERKINS / MASSEY FERGUSON</b>	
KA-008	P3/P4/P6 /ZZ-90011/3637439M91 / 4.192 / Forging P.No. 0210007 / M7BJ0052 / 31.760 mm
KA-009	MF-135 /31.760 mm
KA-010	MF-245 /P3.152, P4.203 /ZZ-90010/ 3637392M91/ Forging P.No. 31337220 / 31.760 mm
KA-011	P6.354 ROCKET /ZZ-90009/ P4.248, P4.236, P4.212 3637034M91/84920/ M7BJ 0015 / 34.950 mm
KA-012	4115C331/P6.354 TURBO /ZZ-90013/367028M91 Phaser 1004.40/422538M-91/3637028M-91 /38.10 mm Taper
KA-058	P6.354 ROCKET PIN TYPE/ZZ-90058/ Phaser 1006.60 / 38.10 mm Taper (Dowel Pin)
KA-58 A	ZZ90146 /39.730 mm Taper
KA-266	115026330 / 404 / 28 mm
KA-273	Fracture Type / 4115C335 / 4115C335/38.10 mm
KA-324	4115C311 (F) 1100 SERIES / 39.700 mm
KA-325	4115C312 (G) 1100 SERIES / 39.700 mm
KA-326	4115C313 (H) 1100 SERIES / 39.700 mm
KA-327	4115C314 (J) 1100 SERIES/273 / 39.700 mm
KA-328	4115C315 (K) 1100 SERIES / 39.700 mm
KA-329	4115C316 (L) 1100 SERIES / 39.700 mm
KA-363	21 mm / 77 mm Piston/KP-740-15
KA-364	115026340 / 115026251 / NN851-1/28 mm
<b>HARVESTER/CASE</b>	
KA-001	IH 434.444.BD154/ 3061214 R-91 / 28 mm
KA-063	CASE 207 / 31.730 mm
KA-063A	CASE 207 SHORT STROKE / 31.760 mm
KA-348	DT 466 /735242 C.91/688 922 C1 RX /488923 C-91 /41.295 mm
KA-012	293198 AI / 38.10 mm Taper
KA-339	2831298 /38 mm Taper
<b>DAVID BROWN</b>	
KA-214	ENGINE K 800 43 MODEL 1210 / 31.750 mm
<b>NEW HOLLAND</b>	
KA-299	8701218/ MODEL - 5640 / 6640 / 6600-6610 /38.10 mm Taper
KA-107 A	5630/3630 /38.10 mm Taper
KA-339	2831298 - 38MM TAPER
KA-355	4221454.8365.25-42 mm Strain
<b>STEYR</b>	
KA-232	4070030012/ 768 / 35 mm
<b>KUBOTA</b>	
KA-365	15471.22012.D-1302/1402/1702/1902/23mm Pin
KA-366	17311.22014-V 2203.2003.D1403/1503/1803/ 1703/1903/25 mm Pin
KA-384	15694-22010/ V-1100 / 20 mm
KA-385	G700 / 22010/ D-905 / D-1105 / 22 mm
<b>VALTRA</b>	
KA-391	Valtra-800 / Fracture Type / 40 mm Taper

No.	CONNECTING ROD
	Reference Name/ No.
<b>EARTHMOVERS</b>	
<b>CUMMINS</b>	
KA-112	6-BT /3901569 / 3942581/3.9 L&5.9 L/3901567 /3942581/ 3901566/ 40 mm Taper
KA-189	6-CT/3901383/390 1224/392 4350/3971394/4947898/4998808/ 45 mm Taper
KA-237	NT-855 /3013930 / 218808 / Taper / 50.825 mm
KA-264	6-BT/ISB{3939405/3971212/4898808/4943979 / 40 mm Taper
KA-306	KT-1150 /300791/3043911/3811995/ K 19/K 38/61 mm Taper
KA-353	ISL - C4944887 / L - 10 / 45 mm Taper
KA-356	ISX / 4059429 / 63.550 mm
<b>KOMATSU</b>	
KA-095	6204-31-3101/S6D95L/ 30 mm
KA-095A	6207-31-3101/ S6D95 L - 1 / 30 mm Taper
KA-095B	6207-31-3500/S4D95 LE.3A.2
KA-096	6138-31-3104 /S6D110/SA6D110 / 40 mm Taper
KA-228	6150-31-3100/ S6D125 / 48 mm
KA-228A	6151-31-3200 / S6D125 / 48 mm Taper
KA-229	6127-31-3100/S6D155/ Old Model /60 mm Taper
KA-252	6136-31-3101/S6D105/ New Model / 40 mm
KA-393	S6D-140 / 6211-31-3100/ 52 mm Taper
KA-264	S6D102 / 4898808 / 40 mm Taper
KA-412 LH	52 mm Taper
KA-412 RH	52 mm Taper
<b>CATERPILLAR</b>	
KA-062	8N 3753 / 6 N 8011 Big Thickness / 38.125 Taper
KA-062A	7E 4728/ 9N 0406 / 1W2558/3208 / 38.125 Taper
KA-220	8N 1984 / 3304 & 3306/ 8N1720 / ORO 915 /1.5 Inch/ 38.143 mm Taper
KA-220A	8N-1721 /3304 & 3306/ 8N1720 /1.7 Inch / 43.18 mm Taper
KA-220B	5.52793/ 2P0933 / 43.18mm /Straight/1.7 Inch
KA-220C	6N8068 / ZPO933 / 5S6360X / 38.10 /Straight /1.5 Inch
KA-278	9Y6054/ 9Y6048 / OR-3780 /2.16 Inch/taper / 55 mm
KA-278A	7E5996/ 9Y6048/OR-3781 /2 Inch / Taper / 50.80 mm
KA-279	213-3193-3114/16/26 C-7 / 40 mm Taper
KA-330	8N1728/ 1729/ 3406IHC/9 Degree Tapper / 44mm B/E Thickness /2 Inch / 50.80 mm
KA-330A	8N-1726 /3408/3412 C-15/C-16/1727 42mm B/E thickness, 9 degree Tapper/2 Inch/8N1727B/50.80 mm
KA-330B	7N3231 / 6N3910 C.N/ Engi.no.3406, 42mm B/F thickness/6 degree Tapper/2 Inch / 50.80 mm
KA-343	517668/343190101 S6KT / 3066/8N1727C/Taper/34 mm
KA-400	C-15/18 -224-3242 / 60 mm Pin Taper
<b>JCB</b>	
KA-392	320/03114/3-CX 14 CX/40 mm

No.	CONNECTING ROD
	Reference Name/ No.
<b>MARINE ENGINES</b>	
<b>DEUTZ</b>	
KA-051	FL-912/0415 0450/0337 1614/KHD 912 O/M /35 mm
KA-054	FL-913 /0337 1614/ 0415 2302 / 40 mm
KA-185	FL-912/913/0415 0455/0223 2061/KHD 912 N/M/35mm
KA-206	FL-614/ 0335 8847 /40 mm
KA-222	FL-413 / 0414 3222/ 45 mm
KA-247	FL-511 /0415 1493/ 35 mm
KA-300	FL-912 / 0415 2302/ 0223 2059 / 35 mm
KA-319	0223 2059/0415 2302/ 40mm pin with dowel pin
KA-319A	4234177 /40mm pin type without dowel pin
KA-367	FL 1011 / 26 mm
KA-368	BFL-1011 / 30 mm
KA-369	BFM-1013/0420 0465/ 38004908/42 mm
KA-396	1013 O/M / 42 mm Pin
KA-396A	924 4926 Noch Opposite
KA-401	1011-0428 6649/0417 8994 / 26 mm
KA-402	1011-0428 6691/0427 2007 / 0427 8999/30 mm
KA-413	2012 Old Model / 38 mm Taper 04294630/04290076
<b>MWM</b>	
KA-201	D-229 / 9112 0150 005 / 32 mm
KA-249	X10 / 562 / 9612-0150-026 / 38 mm Taper
KA-320	TD 229/ 622 801500 096 / 35 mm
KA-321	940.801500.016 /Sprint electronic engine / 35 mm Taper
KA-322	940.701500.016/ Sprint not electronic engine/ 35 mm
<b>YANMAR</b>	
KA-085	TS-60 /704200.23100 /TH-4/ 22.95 mm
KA-116	E-80 /11154.22010/ KND-80/ 25 mm
KA-119	TF-75/ 85 / 80/ 705300-23100/ 26 mm
KA-140	KND-180 / SD-004 / ER-100 / 35 mm
KA-141	TF/ 55-65 / 23 mm
KA-142	TS-70 / TH-5 / 26 mm
KA-137	KND-4 / 26 mm
KA-153	TS-50 / TH-3 / 70410023100/ 21 mm
KA-154	TS-105 /704500.23100/ TS-90 / TH-7/ 28 mm
KA-155	TS-180 / TS-155/TH-13/TH-10 704705-23100/32 mm
KA-175	TS-230 / 36 mm
KA-176	2T / 35 mm
KA-313	ET-95 / KND-105 /27 mm
KA-143	H-5 - RK-50 / 60 / 24 mm / SD-5
KA-314	TF-105/NF-110 / TF-110.115 / 28.015 mm
KA-387	TS-190 / NF -110-115 / 36 mm
KA-388	TF-110.115 / KND513 / 26 mm
<b>ANDORIA</b>	
KA-050	ANDORIA S-320 / 45 mm

No.	CONNECTING ROD
	Reference Name/ No.
<b>PETTER</b>	
KA - 048	PH-1/CROSS TYPE/ 30MM /1W-350254/ 30 mm
<b>LISTER</b>	
KA-055	ST-1 / 33.400 mm
KA-055A	ST-2 / 33.400 mm
<b>KUBOTA</b>	
KA-116 A	E-80 / 25 mm
<b>HMT</b>	
KA-204	HINDUSTAN /50 {With Dowel Pin and Notch} H-0256 / 40 mm
KA-204A	HINDUSTAN - 80 / 40 mm
<b>3 WHEELER</b>	
<b>LOMBARDINI</b>	
KA-030	LOMBARDINI : 450 / 510 / 23 mm
KA-031	LOMBARDINI : 520 / 20 mm
KA-031 A	EURO-3 / 20 mm
KA-332	1526020 / 28 mm
KA-414	25 mm Pin
<b>DIESEL ENGINE (OTHERS)</b>	
KA-097	T 120 E
KA-104	MPL 104 / 23 mm
KA-105	MPL 105 / 25 mm
KA-146	SHP 9016 / 19 mm
KA-180	EG 603 / KOMATSU / 30 mm
KA-182	EG 605 / NISSAN / 20.960 mm
KA-186	GH 510 / 42 mm
KA-219	DF-455 / 20 mm
<b>HATZ</b>	
KA-083	E-89 / 30 mm
KA -167	E-89 / 30 mm
<b>YWA RUSTON</b>	
KA-126	Pin -42 mm
<b>ARMSTRONG</b>	
KA-310	Pin - 38 MM
<b>&gt; WE ALSO CAN TAKE-UP ANY NEW DEVELOPMENT AS PER THE DRAWINGS &amp; SAMPLES PROVIDED TO US &lt;</b>	
Thanks & Regards,	
<i>For, Jai Auto Industries</i>	
<b>JAY SHAH (Partner)</b>	